


LIMPIDO EZ VP

CONNECTED SALT CHLORINATOR DESIGNED FOR A SIMPLE AND INTUITIVE EXPERIENCE.





SUPERIOR WATER QUALITY

The Limpido EZ VP salt chlorinator delivers efficient water treatment by generating the chlorine needed to disinfect your pool. Producing up to 30 g/h of chlorine, it ensures consistently clean, healthy, crystal-clear water.


HIGH-PERFORMANCE CELL

Thanks to its transparent, backlit X-Cell 2, the Limpido EZ VP provides instant visual monitoring. Its design allows quick and easy inspection of the cell for simple, intuitive operation, while ensuring powerful and consistent chlorine production.

VIGIPOOL COMPATIBLE

Compatible with the VIGIPOOL ecosystem, the Limpido EZ VP integrates seamlessly with the other equipment in the range. Control your salt chlorinator and your entire pool remotely from the VIGIPOOL app for simple operation and optimum comfort.

PRODUCT OVERVIEW




BACKLIT CELL FOR EASY READING.


EASY TO INSTALL AND USE

AUTOMATIC CHLORINE PRODUCTION

QUICK DEVICE SETUP USING THE VIGIPOOL APP.



INSTALLATION RECOMMENDATIONS



QUICK INSTALLATION:

The salt chlorinator plugs directly into a 230 V mains outlet that is not linked to the filtration system. Simply connect the cell to the power supply unit using the connector, then enjoy reliable and efficient pool water treatment.

A: 320 mm cut-out on the pipework.
By-pass installation recommended.

B: Power supply unit

C: Connection to a 230 V mains outlet

D: Power cable between the power supply unit and the cell

E: Flow switch

REGULATED CHLORINE PRODUCTION: THE RIGHT DOSE, LONGER CELL LIFE.

L'électrolyse permet de désinfecter naturellement l'eau en produisant du chlore à partir d'un faible taux de sel. Le Limpido VP offre une production efficace jusqu'à 30 g/h maximum


Pour éviter les excès de chlore et prolonger la durée de vie de la cellule, nous recommandons d'associer l'électrolyseur à un appareil **de régulation RedOx connecté Vigipool,** (comme par exemple l'Antea OX) permettant d'ajuster automatiquement la production selon les besoins du bassin.



Antea OX :
Mesure RedOx Vigipool

LIMPIDO EZ VP IN THE VIGIPOOL APPLICATION

Overview Screen




Filtration status

Water temperature

Limpido EZ VP cell production status

Detailed View



Production mode selection

Power level adjustment

Detailed status of current production

* Available modes: ON (active production as soon the filtration is on), Thermoregulated (production time adjusted according to water temperature), Regulated (production adjusted according to a setpoint provided by a Vigipool RedOx device), Boost (maximum power production for a specific duration), OFF (production stopped).

WHAT IS VIGIPOOL?

vigipool by CCEI



Vigipool is a range of products controlled from a single smartphone application, allowing you to keep your technical room in your pocket at all times. Within the app, centralize your technical room devices and control equipment connected to your home Wi-Fi from anywhere in the world. Vigipool gives you access to Limpido EZ VP and real-time monitoring of your technical room.


A SCALABLE SOLUTION :
For an even more complete installation, add Vigipool-compatible devices to your technical room and unlock new features in your app (filtration control, LED lighting control, etc.).

GET IT ON Google Play

Available on the App Store

VIGIPOOL SUPERVISION

With Vigipool Supervision, pool professionals can monitor and manage their entire pool portfolio in real time.



- Customer pool monitoring
- Intervention scheduling via interactive map
- Instant overview of the portfolio
- Alert reception and management
- Access to pool history

https://supervision.vigipool.com

MAIN TECHNICAL SPECIFICATIONS



- **BACKLIT CELL FOR EASY READING.**
- **EASY TO INSTALL AND USE**
- **AUTOMATIC CHLORINE PRODUCTION**
- **QUICK DEVICE SETUP USING THE VIGIPOOL APP.**

Reference	Model	Supply	Salt level	Production (g/h) MAX	Max. pool volume	Max flow rate	Connection	Installation	Pipe Cut-out
PF10I076	Limpido EZ VP - M	230V AC	2 à 4 g/l	6 g/h	30 m³	22 m/h³	Wifi et Bluetooth®	Ø50 mm	320 mm
PF10I077	Limpido EZ VP - L			9 g/h	45 m³				
PF10I078	Limpido EZ VP - XL			12 g/h	60 m³				
PF10I079	Limpido EZ VP - XXL			18 g/h	90 m³				

CCEI

vigipool by CCEI