



ORPHEO VP

CONNECTED AND AUTOMATIC CONTROL FOR PH AND ORP SYSTEM



AUTOMATIC CONTROL

Choose the Orpheo VP for an automatic, reliable and fully connected system. With the Orpheo VP, you can automatically control your pool's pH and ORP levels via the Vigipool smartphone app.



QUICK PREVIEW

The dosing pumps for pH and ORP control light up depending on the readings and alerts. At a glance, you can see exactly what condition your pool is in.




RELIABILITY AND SIMPLICITY



The Orpheo VP comes with a compact measurement chamber, which ensures reliable measurements and simplifies the hydraulic installation of your device.

GENERAL PRODUCT OVERVIEW


pH control




Orp control



HOW DO YOU INSTALL ORPHEO VP?



The 'ZELIA POD' measuring chamber allows you to connect the flow sensor, pH probe, RedOx probe and injection system without drilling a hole in the pipe (see instructions)



PEACE AND QUIET AT A GLANCE

The Orpheo VP dosing pumps are fitted with an RGB LED that lights up according to various parameters. This patented system allows you to see at a glance in the technical room whether the pool's pH and RedOx levels match the set values.

Ideal measurement
(difference <0.1)

Near measurement
(difference between 0.1-1)

Off measurement
(difference >1)




Ideal measurement
(difference <50mV)

Near measurement
(difference between 50mV et 150mV)

Off measurement
(difference >150mV)



ORPHEO VP IN THE VIGIPOOL APP



VIGIPOOL : MORE THAN AN APP, BUT A WHOLE UNIVERSE

Vigipool is your smartphone app that allows you to parameter your Vigipool equipments wherever you go. Use this app to centralise, control your technical room devices and manage your Wi-Fi-connected devices from anywhere in the world.

A SCALABLE SOLUTION:

For an even more comprehensive setup, add VigiPool-compatible devices to your equipment room and see new features appear in your app (filtration control, LED spotlight control, etc.)



Reference	Model	Supply.	Supplied material		Max injection volume	Max pump rate	Max pool volume	Dimensions
PF101164	Orpheo VP	230V AC	Supplied material: pH probe, calibration kit (bottle + 6.8 powder solution), injection kit,	Zelia Pod measuring chamber	3 L/day (adjustable)	1.2L/h	150 m ³	Wi-Fi (local and remote) / Bluetooth®



Ne pas jeter sur la voie publique