



# PHILEO VP

BRING YOUR PH  
REGULATION TO LIGHT



## AUTOMATIC REGULATION

Phileo VP automatically adjusts the pH of the water, in pH- or pH+ mode. Choose the setpoint value and Phileo VP does the rest.



## QUICK VISUALIZATION

The dosing pump lights up according to the measurement and alerts. At a glance, you have a clear view of your pool's pH! Time-savings and ease of use guaranteed throughout the season




## ENHANCED COMFORT & SAFETY


Phileo VP integrates a regulation system designed to offer optimal user comfort and secure pH monitoring. Thanks to real-time tracking and intuitive visual alerts, it ensures reliable, worry-free water-quality management.



## GENERAL PRODUCT OVERVIEW



## THE MOST EASILY INSTALLED PH CONTROLLER ON THE MARKET



## PEACE OF MIND AT A GLANCE

The Phileo VP dosing pump is equipped with an RGB LED that lights up according to different parameters. This patented process provides a quick overview in the technical room to check whether the pool's pH level matches the desired value.

Ideal measurement  
(difference < 0.1)


Near measurement  
(difference between 0.1–1)

Off measurement  
(difference > 1)



Ne pas jeter  
sur la voie publique

## PHILEO VP IN THE VIGIPOOL APP



## VIGIPOOL: MORE THAN AN APP, A COMPLETE ECOSYSTEM

Vigipool is your smartphone application allowing you to always keep your technical room in your pocket. Within the app, centralize your equipment and control your devices connected to the home Wi-Fi network, from anywhere in the world.

Configure your Phileo VP within a global interface combining filtration control, water treatment and water-temperature management.

### AN EVOLVING SOLUTION

For an even more complete installation, add Vigipool-compatible devices to your technical room and watch new features (filtration control, LED lighting control, etc.) appear in the app.



| Reference | Model         | Supply. | Supplied material   |                             | Max injection volume | Max pump rate | Max pool volume    | Connexion                             | Dimensions        |
|-----------|---------------|---------|---|-----------------------------|----------------------|---------------|--------------------|---------------------------------------|-------------------|
| PF10J051  | Phileo VP     | 230V AC | Supplied material: pH probe, calibration kit (bottle + 6.8 powder solution), injection kit, | 3 x 50 mm saddle clamps     | 3 L/day (adjustable) | 1.5 l/h       | 150 m <sup>3</sup> | Wi-Fi (local and remote) / Bluetooth® | 130 x 115 x 35 mm |
| PF10J050  | Phileo POD VP |         |   | Zelia Pod measuring chamber |                      |               |                    |                                       |                   |



Ne pas jeter  
sur la voie publique

ccei-pool.com