



Mid BriO

COMPACT BY NATURE,
SPECTACULAR IN POWER



MID IS THE NEW BIG

With Mid-BRiO, discover a new generation of lights that are more compact, more powerful, and provide wider diffusion! A true well of light for your pool!



COMPACT BUT POWERFUL

Thanks to a combination of advanced technologies, the Mid-BRiO offers an unmatched power / lumens / size ratio in the pool lighting market. Illuminate your pools with a light measuring only 75 mm in diameter delivering 2400 lumen




NO MORE SHADOW AREAS


The clever design of the Mid-BRiO allows for a diffusion angle of up to 160°, whereas most other lights reach only about 120°.

THE COMPACT AND ELEGANT POWER




Thanks to the latest generations of LEDs combined with optimized thermal management, the Mid-BRiO can deliver up to 2600 lumens (white models). This light intensity allows it to reach performance levels comparable to much big pool lights while remaining compact and discreet in the wall.



- ✓ Supplied with a 3-meter cable, or with a custom length upon request.
- ✓ Compact LED projector, available in different nominal power ratings.
- ✓ 3 lighting options available: cool white, warm white, and multicolor."



INSTALLATION RECOMMENDATIONS



AVAILABLE REFERENCES


Reference	Model	Supply	Power (W / lm)		Color
Maximum Power Models					
PK10R400	MID M24	12V AC	24W	2600 lm	○
PK10R401	MID M24K			2600 lm	●
PK10R402	MID X24			1800 lm	●●●○
Standard Power Models					
PK10R404	MID M24LT	12V AC	12W	1200 lm	○
PK10R406	MID X24LT		12W	900 lm	●●●○

POOL TYPE: CONCRETE WITH LINER

Specific Wall Fitting



Compatible faceplates




Faceplates for existing installations



CONCRETE MOSAIC POOL

Specific wall fitting



Compatible faceplates




Faceplates for existing installations




ONE PIECE POOL

Specific wall fitting




PF10R324/G
Complete wall fitting
Grey
RAL 7040



PF10R324/A
Complete wall fitting
Anthracite
RAL 7016



PF10R324/S
Complete wall fitting
Sand
RAL 1015



PF10R327
Complete wall fitting
Stainless 316L

Faceplates for existing installations



Mini niche for Mid Brio

PF10R262

Mini niche with axial outlet




Specific mini niche compatible with concrete liner pools



Allows installation with a watertight conduit.



White faceplate for Mid Brio (supplied)




ACCESSORIES

CONNEXION

1.5" to 2" adapter


PF10R25A



Adapter to be installed at the rear of the light 1.5 inches for 2-inch inlet

Thread extension

SFBT0936



Adding threaded inserts for existing wall crossings

Mini waterproof electrical junction

MPRC0212



Waterproof IP68, 3 poles 32 A, cable diameter from 7 to 12 mm



Diameter: 22 mm, cable cross-section 0.5 to 4 mm²



Do not discard in public areas.

ccei-pool.com