



Mini BriO

POWERFUL AND COMPACT MINI LIGHT !



HIGH-QUALITY LIGHT

With Mini BRiO, the light, as powerful as a standard light, combines high luminous output (up to 1300 lm in white) with a discreet design. Mini BRiO is the ideal solution for both new builds and renovations.



CUSTOM AMBIANCE

Mini BRiO is available in 3 versions (BC, BF, RGB) for all types of pools. Enjoy a 100% adapted light: lighting color, power, trim rings...



EASY INSTALLATION

Enjoy simple installation thanks to a specific wall fitting or compatibility with existing 1.5" wall fittings. It integrates perfectly in both new construction and renovation projects.


A MINI LIGHT AS POWERFUL AS A STANDARD LIGHT

Thanks to new LED technologies combined with recent advances in thermal dissipation, the Mini-BRiO can emit up to **1300 lumens** (white lights). This output allows it to be as powerful as some standard lights while remaining more discreet within the pool wall.



- ✓ Delivered with 3 m of cable or adjustable length on request.
- ✓ Compact LED light, available in different nominal power ratings.
- ✓ 3 lighting options available: cool white, warm white, and multicolor.

INSTALLATION RECOMMENDATIONS




AVAILABLE REFERENCES

Reference	Model	Supply	Power (W and lm)		Color
Maximum power					
PK10R311	MINI 2 M12	12V AC	12W	1300 lm	○
PK10R312	MINI 2 M12K		12W	1300 lm	●
PK10R313	MINI2 X12		12W	900 lm	●●●○
Standard power					
PK10R314	MINI+ M6	12V AC	6W	700 lm	○
PK10R315	MINI+ M6K		6W	700 lm	●
PK10R316	MINI+ X10		7W	450 lm	●●●




CONCRETE POOL WITH LINER

Specific wall fitting



Compatible faceplates



Faceplate for existing installations




CONCRETE POOL WITH MOSAIC

Specific wall fitting



Faceplate for existing installations



ONE PIECE POOL

Specific wall fitting



Faceplate for existing installations



Mini niche for Mini Brio


PF10R262
Mini niche with axial
outlet

✓ Specific mini niche compatible
with concrete liner pools

✓ Allows installation with a watertight conduit



White faceplate for
Mini Brio (supplied)




Do not discard in public areas.

ACCESSORIES

1.5" to 2" adapter


PF10R25A



Adapter to be installed at the rear of the 1.5-inch light for a 2-inch wall fitting

Thread addition for Mini Brio 2


MPCS0224



Addition of threading for existing wall fittings for Mini Brio

Bayonet adapter

SFBT0936



Glue-on thread addition for existing wall fittings

Mini watertight electrical junction

MPRC0212



IP68 waterproof, 3 poles, 32 A



Diameter: 22 mm



Cable diameter from 7 to 12 mm



Cable cross-section: 0.5 to 4 mm²



Do not discard in public areas.

ccei-pool.com